

SAFETY DATA SHEET

Revision: 3.1 Date: 5th November 2018

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)
& 2015/830



Tiger Tim

www.tigertimproducts.co.uk

Firelighter (Kerosene)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name: Firelighter (Kerosene)
CAS No.: Mixture.
EINECS No.: Mixture.
REACH Registration No.: None assigned.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s): Consumer use: Product used for the ignition of solid fuels in domestic appliances.
Uses Advised Against: Anything other than the above.

1.3 Details of the supplier of the safety data sheet

Manufacturer: Tiger Tim Products Ltd
Rhosesmor, Mold
Flintshire, CH7 6PZ
United Kingdom
Telephone: +0044 (0) 1352 78 0861
Fax: +0044 (0) 1352 78 1294
E-Mail (competent person): sales@tigertimproducts.co.uk

1.4 Emergency telephone number

Emergency Phone No.: +0044 (0) 1352780861
+0044 (0) 7984473602
+0044 (0) 7931831452
24 hours, English spoken

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP): Flam. Sol. 2; H228

2.2 Label elements

Product Name: Firelighter (Kerosene)

Hazard Pictogram(s):



Signal Word(s): WARNING

Hazard Statement(s): H228: Flammable solid.

Precautionary Statement(s): P102: Keep out of reach of children.
P101: If medical advice is needed, have product container or label at hand.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

2.3 Other hazards

None

SAFETY DATA SHEET

Revision: 3.1 Date: 5th November 2018

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)
& 2015/830



Tiger Tim

www.tigertimproducts.co.uk

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures - Substances in preparations / mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Kerosene (petroleum)	> 75%	8008-20-6	232-366-4	01-2119485517-27	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 2; H411
Methanol*	< 0.5%	67-56-1	200-659-6	Not yet assigned in the supply chain	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 STOT SE 1; H370
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	≤ 0.3	68411-30-3	270-115-0	Not yet assigned in the supply chain	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412
Formaldehyde	< 0.1	50-00-0	200-001-8	Not yet assigned in the supply chain	Acute Tox. 3; H301 Acute Tox. 3; H311 Skin Corr. 1B; H314 Skin Sens. 1; H317 Acute Tox. 3; H331 Muta. 2; H341 Carc. 1B; H350

For full text of H phrases see section 16. *Substance with a community exposure limit

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Self-protection of the first aider

Ensure adequate ventilation. Avoid breathing dust. Wear suitable protective clothing and gloves. Avoid contact with skin and eyes. Contaminated clothing should be laundered before reuse. If medical advice is needed, have product container or label at hand.

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

Gently wash with plenty of soap and water. Remove contaminated clothing and wash clothing before reuse.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.

Ingestion

Rinse mouth. Give plenty of water to drink. Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

None known.

SAFETY DATA SHEET

Revision: 3.1 Date: 5th November 2018

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)
& 2015/830



Tiger Tim

www.tigertimproducts.co.uk

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically. Dust can cause mechanical irritation of the eyes, skin nose and throat

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media
Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

Extinguish preferably with dry chemical, sand, foam or carbon dioxide.
Do not use water jet. Direct water jet may spread the fire.

5.3 Advice for fire-fighters

Flammable solid. This product may give rise to hazardous fumes in a fire.: Carbon monoxide, Carbon dioxide

Fight fire with normal precautions from a reasonable distance. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire. Avoid release to the environment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure operatives are trained to minimise exposures. Wear suitable protective clothing and gloves. Ensure adequate ventilation. Avoid breathing dust. Avoid contact with skin and eyes.

6.2 Environmental precautions

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning up

Sweep up and shovel into waste drums or plastic bags. Transfer to a lidded container for disposal or recovery. Keep away from heat and sources of ignition. Ventilate the area and wash spill site after material pick-up is complete. Avoid contact with skin and eyes.

6.4 Reference to other sections

See Section: 8,13

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat and sources of ignition. Unlikely to cause harmful effects under normal conditions of handling and use. When using do not eat or drink. Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Wear suitable gloves if prolonged skin contact is likely. Wash hands thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in the original container in a cool, well ventilated place. Keep container tightly closed and dry. Keep out of reach of children.

Storage temperature

Ambient. Keep away from heat and direct sunlight.

Storage life

Stable under normal conditions.

Incompatible materials

Strong oxidising agents

7.3 Specific end use(s)

Product used for the ignition of solid fuels in domestic appliances.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Due to the constituents being bonded by the polymerisation process exposure to the below substance(s) is unlikely.

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Methanol	67-56-1	200	266	250	333	WEL, Sk
		200	260	-	-	IOELV
Formaldehyde	50-00-0	2	2.5	2	2.5	WEL
Hydrogen chloride (gas and aerosol mists) [#]	7647-01-0	5	8	10	15	IOELV
		1	2	5	8	WEL

Source: WEL: Workplace Exposure Limit (UK HSE EH40), IOELV: Indicative Occupational Exposure Limit Value

Note: Sk - Can be absorbed through skin.

SAFETY DATA SHEET

Revision: 3.1 Date: 5th November 2018

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)
& 2015/830



Tiger Tim

www.tigertimproducts.co.uk

#: Component included below the relevant concentration levels detailed within section 3.2.1 of SDS regulation 2015/830.

8.1.2 Biological limit value	Not applicable
8.1.3 PNECs and DNELs	Not available
8.2 Exposure controls	
8.2.1 Appropriate engineering controls	Keep away from heat and sources of ignition. Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Wear flame-resistant antistatic protective clothing.
8.2.2 Personal protection equipment	Wear flame-resistant antistatic protective clothing. Keep good industrial hygiene. Wash hands before breaks and after work. Keep work clothes separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke at the work place.
Eye/ face protection	No special requirements.
Skin protection (Hand protection/ Other)	Avoid prolonged skin contact. Wear suitable gloves if prolonged skin contact is likely. Wear impervious gloves (EN374). Nitrile rubber, breakthrough time >240 minutes.
Respiratory protection	Respiratory protection is not necessary if room is well ventilated. In case of inadequate ventilation wear respiratory protection. Recommended: EN149
Thermal hazards	None anticipated.
8.2.3 Environmental Exposure Controls	Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Solid.
Colour.	White.
Odour	Petroleum spirit Odourless
Odour Threshold (ppm)	Not established.
pH (Value)	Not available
Melting Point (°C) / Freezing Point (°C)	Freezing Point (°C) -47°C (Kerosene)
Boiling Point (°C) and boiling range	Not available. (Kerosene)
Flash Point (°C)	38 - 55°C (Kerosene)
Evaporation rate	Not available.
Flammability (solid, gas)	Flammable solid: Burn rate <= 45s (Mixture).
Explosive Limit Ranges	Not applicable.
Vapour Pressure (mm Hg)	Not available.
Vapour Density (Air=1)	Not available.
Relative density	0.7g/cm ³ @ 20°C (mixture)
Solubility(ies)	Insoluble in water.
Partition Coefficient (n-Octanol/water)	Not available.
Auto Ignition Point (°C)	Not available.

SAFETY DATA SHEET

Revision: 3.1 Date: 5th November 2018

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)
& 2015/830



Tiger Tim

www.tigertimproducts.co.uk

Decomposition Temperature (°C)	Not available.
Viscosity (mPa. s)	Solid (mixture)
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Stable under normal conditions.
10.4	Conditions to avoid	Keep away from heat and direct sunlight. Avoid contact with heat and ignition sources. Avoid friction, sparks, or other means of ignition.
10.5	Incompatible materials	Strong oxidising agents.
10.6	Hazardous decomposition product(s)	Decomposition products: Carbon monoxide, Carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects (Substances in preparations / mixtures)	On the basis of low exposure and extensive health and safety records, TigerTim are confident that no hazards are applicable to this product.
	Acute toxicity - Ingestion	Based upon the available data, the classification criteria are not met.
	Acute toxicity - Inhalation	Based upon the available data, the classification criteria are not met.
	Acute toxicity - Skin Contact	Based upon the available data, the classification criteria are not met.
	Skin corrosion/irritation	Based upon the available data, the classification criteria are not met.
	Serious eye damage/irritation	Based upon the available data, the classification criteria are not met.
	Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met.
	Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
	Carcinogenicity	Based upon the available data, the classification criteria are not met.
	Reproductive toxicity	Based upon the available data, the classification criteria are not met.
	STOT - single exposure	Based upon the available data, the classification criteria are not met.
	STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
	Aspiration hazard	Based upon the available data, the classification criteria are not met.
11.2	Other information	None.

SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Due to the constituents being bonded by the polymerisation process, the ecotoxic effects of the individual components are not applicable to the final product. All test data taken from existing ECHA registrations for the substances mentioned.
12.2	Persistence and degradability	No data for the mixture as a whole. Kerosene (petroleum) Readily biodegradable. 70% @ 28 days (OECD 301F) Methanol Readily biodegradable. Water - 82.7% @ 5 days (Wagner, R., 1976)
	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	Readily biodegradable. Degradation rate (%): 85 @ 29 days OECD 301 B
12.3	Bioaccumulative potential	Readily biodegradable. Degradation rate (%): 100 @ 4 days (Eiroa M. 2006) No data for the mixture as a whole.
	Kerosene (petroleum)	No data
	Methanol	The substance has no potential for bioaccumulation. BCF: 4.5 (Gluth, G. et al., 1985)
	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	The substance has low potential for bioaccumulation. BCF: 2 - 1000 L/kg OECD 305 E
	Formaldehyde	The substance has low potential for bioaccumulation. BCF: < 1 (OECD SIDS, 2004)
12.4	Mobility in soil	No data for the mixture as a whole.
	Kerosene (petroleum)	No data
	Methanol	The substance is predicted to have high mobility in soil. Koc: 0.13-0.61 (Lokke, H., 1984)

SAFETY DATA SHEET

Revision: 3.1 Date: 5th November 2018

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)
& 2015/830



Tiger Tim

www.tigertimproducts.co.uk

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

The substance is predicted to have high mobility in soil.
Log K_p 3.4

Formaldehyde

The substance has moderate mobility in soil.
K_{oc}: 15.9 (BASF SE 2008)

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB. None of the substances in this product fulfil the criteria for being regarded as a PBT or vPvB substance.

12.6 Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of this material and its container as hazardous waste. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Disposal should be in accordance with local, state or national legislation.

13.2 Additional Information

None.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR/RID

IMDG

IATA/ICAO

14.2 Proper Shipping Name

UN 2623

UN 2623

UN 2623

14.3 Transport hazard class(es)

4.1

4.1

4.1

14.4 Packing group

III

III

III

14.5 Environmental hazards

Not classified

Not classified as a

Not classified

Marine Pollutant.

14.6 Special precautions for user

See Section: 2

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

14.8 Additional Information

ADR Transport Category: 4(E)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On Use

None.

15.1.2 National regulations

Wassergefährdungsklasse (Germany)

Water hazard class: 2 (Self classification).

15.2 Chemical Safety Assessment

Kerosene (petroleum)

A REACH chemical safety assessment has been carried out. For Kerosene (CAS No. 8008-20-6)

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: V3.1

Changes to the previous version:

- Updated Section 14.1, 14.2, 14.8

References:

Safety Data Sheets for ingoing ingredients. Existing Safety Data Sheet (SDS)

Existing ECHA registration(s) for Kerosene (petroleum) (CAS No. 8008-20-6), Methanol (CAS No. 67-56-1), Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (CAS No. 68411-30-3), Formaldehyde (CAS No. 50-00-0).

Harmonised Classification(s) for Kerosene (petroleum) (CAS No. 8008-20-6) Methanol (CAS No. 67-56-1), Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (CAS No. 68411-30-3), Formaldehyde (CAS No. 50-00-0).

Literature Reference:

SAFETY DATA SHEET

Revision: 3.1 Date: 5th November 2018

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)
& 2015/830



Tiger Tim

www.tigertimproducts.co.uk

1. BASF SE, 2008, Data assessment, 15 Jan 2008
2. Eiroa M. et al, 2006, Formaldehyde biodegradation in the presence of methanol under denitrifying conditions, J. Chem. Technol. Biotechnol. 81, 312-317
3. Gluth, G. et al., 1985, Accumulation of pollutants in fish, Comparative Biochemistry and Physiology 81C(2): 273-277
4. Lokke, H., 1984, Leaching of ethylene glycol and ethanol in subsoils, Water, Air, and Soil Pollution 22: 373-387
5. OECD SIDS, SIAM 14, March 2002, Final UNEP publication April 2004 (SIDS Formaldehyde CAS 50-00-0)
6. Wagner, R., 1976, Untersuchungen über das Abbauprofil organischer Stoffe mit Hilfe der respirometrischen Verdünnungsmethode. II. Die Abbaukinetik der Testsubstanzen, Vom Wasser 47: 241-265 Existing Safety Data Sheet (SDS)

This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Flam. Liq. 2; H228	Test Result (Preliminary Screening Test and Burn Rate Test; in-line with UN Manual of Tests and Criteria, Section 33)
Not classified for Asp. Tox. 1; H304	Kinematic Viscosity Test Result – Solid
Not classified for Skin Irrit. 2; H315	Product is a solid polymer in a sealed metallic/plastic film and will not come in contact with skin.
Not classified for STOT SE 3; H336	On the basis of low exposure and extensive health and safety records, TigerTim are confident that no hazards are applicable to this product.
Not classified for Aquatic Chronic 2; H411	Product is a solid. Insoluble in water.
Not classified for other human health hazards	On the basis of low exposure and extensive health and safety records, TigerTim are confident that no hazards are applicable to this product.

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level
PNEC Predicted No Effect Concentration
BCF Bioconcentration factor (BCF)

PBT PBT: Persistent, Bioaccumulative and Toxic
vPvB vPvT: very Persistent and very Toxic
NOEC no observed effect concentration
OECD Organisation for Economic Cooperation and Development

Hazard classification / Classification code:

Flam. Liq. 2; Flammable Liquid, Category 2
Flam. Liq. 3; Flammable Liquid, Category 3
Acute Tox. 3; Acute toxicity, Category 3
Acute Tox. 4; Acute toxicity, Category 4
Asp. Tox. 1; Aspiration hazard, Category 1
Acute Tox. 3; Acute toxicity, Category 3
Skin Corr. 1A/1B/1C ; Skin corrosion/irritation, Category 1A/1B/1C
Skin Irrit. 2: Skin corrosion/irritation, Category 2
Skin Sens. 1; Skin Sensitisation, Category 1
Eye Dam. 1; Eye damage, category 1
Acute Tox. 3; Acute toxicity, Category 3
STOT SE 3; Specific target organ toxicity — single exposure, Category 3
Muta. 2; Germ cell mutagenicity, Category 2
Carc. 1B; Carcinogenicity, Category 1B
STOT SE 1; Specific target organ toxicity — single exposure, Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment, Chronic, Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

SAFETY DATA SHEET

Revision: 3.1 Date: 5th November 2018

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)
& 2015/830



Tiger Tim

www.tigertimproducts.co.uk

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Tiger Tim gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Tiger Tim accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Exposure scenarios for substances in this preparation are not available.